

# Kitemark™ Certificate

This is to certify that:

Yorkshire Trade Windows Limited  
Carr Wood Road Industrial  
Estate  
Glasshoughton  
Castleford  
WF10 4PT  
United Kingdom

Holds Certificate Number:

KM 658264

In respect of:

**BS 8529/PAS 24**  
**Enhanced Security Composite Door Fabricator**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.



For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2016-12-05

Latest Issue: 2022-09-14

Effective Date: 2022-09-14

Expiry Date: 2025-05-19



Page: 1 of 2

# Kitemark™ Certificate

No. KM 658264

**BS 8529:2010 / PAS 24:2016 - General and enhanced security performance requirements for Composite door assemblies.**

This Certificate covers the following residential door system design specification. Only those components that have been approved in accordance with the Kitemark scheme requirements can be incorporated within the system(s) detailed.

**Composite Residential Door System**

Fabricated and installed in accordance with the latest issue of the Yorkshire Trade Windows Limited Technical manual.

**System description:**

The door assemblies are open in only, comprising of Rehau Total 70 PVCU outerframe, Nan-Ya composite door slab, hinged on outer frame, welded joints and with either standard or low threshold. Maco lock with ERA Challenger hinges, Fab & Fix lever/lever handle and ABS Cylinder. Door classification D.

**Size Limitations and Performance Characteristics**

Door Type	Length (mm) Maximum	Height (mm) - Maximum (including sill)	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Maximum dimensions for doors with approved outer frame and sash profiles:						
Single leaf doors	1012	2125	4	4A	C3	1200

First Issued: 2016-12-05  
Latest Issue: 2022-09-14

Effective Date: 2022-09-14  
Expiry Date: 2025-05-19